

Variance of hedging strategies in discrete time

Flavio Angelini

University of Perugia

www.unipg.it/angelini

Introduction

The optimal strategy

Delta hedging

Previous results

An exact computation of the variance

Transaction Costs

Comments and applications

Conclusion

Joint work with Stefano Herzel

Introduction

The optimal strategy

Delta hedging

Previous results

An exact computation of the variance

Transaction Costs

Comments and applications

Conclusion

Joint work with Stefano Herzel

Introduction

The optimal strategy

Delta hedging

Previous results

An exact computation of the variance

Transaction Costs

Comments and applications

Conclusion

Joint work with Stefano Herzel

Introduction

The optimal strategy

Delta hedging

Previous results

An exact computation of the variance

Transaction Costs

Comments and applications

Conclusion

Joint work with Stefano Herzel

Introduction

The optimal strategy

Delta hedging

Previous results

An exact computation of the variance

Transaction Costs

Comments and applications

Conclusion

Joint work with Stefano Herzel

Introduction

The optimal strategy

Delta hedging

Previous results

An exact computation of the variance

Transaction Costs

Comments and applications

Conclusion

Joint work with Stefano Herzel

Introduction

The optimal strategy

Delta hedging

Previous results

An exact computation of the variance

Transaction Costs

Comments and applications

Conclusion

Joint work with Stefano Herzel

Introduction

The optimal strategy

Delta hedging

Previous results

An exact computation of the variance

Transaction Costs

Comments and applications

Conclusion

Joint work with Stefano Herzel

Introduction

- ▶ **Most mathematical models for financial markets assume continuous-time trading**
- ▶ Strategies that are optimal in continuous time (e.g. BS delta hedging) need not to be optimal in discrete time
- ▶ Figlewski (1989)-*It is apparent that, simply by rebalancing discretely instead of continuously, we have departed markedly from the theoretical world of Black-Scholes*
- ▶ Can we effectively compute a discrete time optimal strategy?
- ▶ Can we measure the error due to time discretization?

Introduction

- ▶ Most mathematical models for financial markets assume continuous-time trading
- ▶ Strategies that are optimal in continuous time (e.g. BS delta hedging) need not to be optimal in discrete time
- ▶ Figlewski (1989)-*It is apparent that, simply by rebalancing discretely instead of continuously, we have departed markedly from the theoretical world of Black-Scholes*
- ▶ Can we effectively compute a discrete time optimal strategy?
- ▶ Can we measure the error due to time discretization?

Introduction

- ▶ Most mathematical models for financial markets assume continuous-time trading
- ▶ Strategies that are optimal in continuous time (e.g. BS delta hedging) need not to be optimal in discrete time
- ▶ Figlewski (1989)-*It is apparent that, simply by rebalancing discretely instead of continuously, we have departed markedly from the theoretical world of Black-Scholes*
- ▶ Can we effectively compute a discrete time optimal strategy?
- ▶ Can we measure the error due to time discretization?


Introduction

- ▶ Most mathematical models for financial markets assume continuous-time trading
- ▶ Strategies that are optimal in continuous time (e.g. BS delta hedging) need not to be optimal in discrete time
- ▶ Figlewski (1989)-*It is apparent that, simply by rebalancing discretely instead of continuously, we have departed markedly from the theoretical world of Black-Scholes*
- ▶ Can we effectively compute a discrete time optimal strategy?
- ▶ Can we measure the error due to time discretization?

Introduction

- ▶ Most mathematical models for financial markets assume continuous-time trading
- ▶ Strategies that are optimal in continuous time (e.g. BS delta hedging) need not to be optimal in discrete time
- ▶ Figlewski (1989)-*It is apparent that, simply by rebalancing discretely instead of continuously, we have departed markedly from the theoretical world of Black-Scholes*
- ▶ Can we effectively compute a discrete time optimal strategy?
- ▶ Can we measure the error due to time discretization?

The discretization error in the BS model



The problem (Schweizer 1995)

- ▶ Hedging a European claim H with a self-financing strategy in a risky asset S and a riskless asset. We assume (wlog) zero interest rate.
- ▶ Let $S = (S_k)_{k=0}^N$ be the asset price process and $\vartheta = (\vartheta_k)_{k=1}^N$ be the hedging ratio of a self-financing trading strategy.
- ▶ The value of the hedging portfolio is

$$V_k = \vartheta_k S_k + \eta_k$$

- ▶ The cumulative gain process is

$$G_N(\vartheta) = \sum_{k=1}^N \vartheta_k \Delta S_k$$

The problem (Schweizer 1995)

- ▶ Hedging a European claim H with a self-financing strategy in a risky asset S and a riskless asset. We assume (wlog) zero interest rate.
- ▶ Let $S = (S_k)_{k=0}^N$ be the asset price process and $\vartheta = (\vartheta_k)_{k=1}^N$ be the hedging ratio of a self-financing trading strategy.
- ▶ The value of the hedging portfolio is

$$V_k = \vartheta_k S_k + \eta_k$$

- ▶ The cumulative gain process is

$$G_N(\vartheta) = \sum_{k=1}^N \vartheta_k \Delta S_k$$

The problem (Schweizer 1995)

- ▶ Hedging a European claim H with a self-financing strategy in a risky asset S and a riskless asset. We assume (wlog) zero interest rate.
- ▶ Let $S = (S_k)_{k=0}^N$ be the asset price process and $\vartheta = (\vartheta_k)_{k=1}^N$ be the hedging ratio of a self-financing trading strategy.
- ▶ The value of the hedging portfolio is

$$V_k = \vartheta_k S_k + \eta_k$$

- ▶ The cumulative gain process is

$$G_N(\vartheta) = \sum_{k=1}^N \vartheta_k \Delta S_k$$

The problem (Schweizer 1995)

- ▶ Hedging a European claim H with a self-financing strategy in a risky asset S and a riskless asset. We assume (wlog) zero interest rate.
- ▶ Let $S = (S_k)_{k=0}^N$ be the asset price process and $\vartheta = (\vartheta_k)_{k=1}^N$ be the hedging ratio of a self-financing trading strategy.
- ▶ The value of the hedging portfolio is

$$V_k = \vartheta_k S_k + \eta_k$$

- ▶ The cumulative gain process is

$$G_N(\vartheta) = \sum_{k=1}^N \vartheta_k \Delta S_k$$

The problem (Schweizer 1995)

The basic problem:

$$\min_{\vartheta \in \Theta} E \left[(H - c - G_N(\vartheta))^2 \right]$$

for fixed $c \in \mathbb{R}$

The existence of the optimal strategy

- ▶ Assume that process X satisfies the following Non-Degeneracy (ND) condition:

$$\frac{(E_{k-1} \Delta S_k)^2}{\text{var}_{k-1} \Delta S_k} < M$$

for all ω and k .

- ▶ Then there exists a unique optimal trading strategy ϑ^c that solves the basic problem (Th. 2.2)

The existence of the optimal strategy

- ▶ Assume that process X satisfies the following Non-Degeneracy (ND) condition:

$$\frac{(E_{k-1} \Delta S_k)^2}{\text{var}_{k-1} \Delta S_k} < M$$

for all ω and k .

- ▶ Then there exists a unique optimal trading strategy ϑ^c that solves the basic problem (Th. 2.2)

The existence of the optimal strategy

- ▶ A counterexample shows that the ND condition is necessary for the existence of a solution
- ▶ If X is a (non degenerate) martingale then condition ND is obviously satisfied
- ▶ Any non-degenerate discrete time, discrete space model, satisfies condition ND

The existence of the optimal strategy

- ▶ A counterexample shows that the ND condition is necessary for the existence of a solution
- ▶ If X is a (non degenerate) martingale then condition ND is obviously satisfied
- ▶ Any non-degenerate discrete time, discrete space model, satisfies condition ND

The existence of the optimal strategy

- ▶ A counterexample shows that the ND condition is necessary for the existence of a solution
- ▶ If X is a (non degenerate) martingale then condition ND is obviously satisfied
- ▶ Any non-degenerate discrete time, discrete space model, satisfies condition ND

Finding the optimal strategy

- ▶ In general, the explicit computation of the optimal strategy and of the minimal variance is a very hard task
- ▶ Backward induction does not work

Finding the optimal strategy

- ▶ In general, the explicit computation of the optimal strategy and of the minimal variance is a very hard task
- ▶ **Backward induction does not work**

Finding the optimal strategy

- ▶ **Bertsimas, Kogan, Lo (2002) propose a Dynamic Programming approach for some specific cases**
- ▶ Hubalek, Kallsen, Krawczyk (2006) compute the Laplace transform of the optimal strategy and of the optimal variance for a class of models
- ▶ Angelini, Herzel (2007) explicitly compute the optimal strategy and the optimal variance when the underlying is a GBM and martingale
- ▶ Wilmott (1994) gives an improved hedging strategy for the Black-Scholes model

Finding the optimal strategy

- ▶ Bertsimas, Kogan, Lo (2002) propose a Dynamic Programming approach for some specific cases
- ▶ Hubalek, Kallsen, Krawczyk (2006) compute the Laplace transform of the optimal strategy and of the optimal variance for a class of models
- ▶ Angelini, Herzel (2007) explicitly compute the optimal strategy and the optimal variance when the underlying is a GBM and martingale
- ▶ Wilmott (1994) gives an improved hedging strategy for the Black-Scholes model

Finding the optimal strategy

- ▶ Bertsimas, Kogan, Lo (2002) propose a Dynamic Programming approach for some specific cases
- ▶ Hubalek, Kallsen, Krawczyk (2006) compute the Laplace transform of the optimal strategy and of the optimal variance for a class of models
- ▶ Angelini, Herzel (2007) explicitly compute the optimal strategy and the optimal variance when the underlying is a GBM and martingale
- ▶ Wilmott (1994) gives an improved hedging strategy for the Black-Scholes model

Finding the optimal strategy

- ▶ Bertsimas, Kogan, Lo (2002) propose a Dynamic Programming approach for some specific cases
- ▶ Hubalek, Kallsen, Krawczyk (2006) compute the Laplace transform of the optimal strategy and of the optimal variance for a class of models
- ▶ Angelini, Herzel (2007) explicitly compute the optimal strategy and the optimal variance when the underlying is a GBM and martingale
- ▶ Wilmott (1994) gives an improved hedging strategy for the Black-Scholes model

Variance of a sub-optimal strategy

- ▶ Starting from a value c , we follow a s.f. strategy to hedge the payoff H of a contingent claim. The hedging error of the strategy is

$$\varepsilon(\vartheta, c) = H - c - G_N(\vartheta).$$

- ▶ The problem is to compute mean and variance of $\varepsilon(\vartheta, c)$ for given H, c, ϑ

Variance of a sub-optimal strategy

- ▶ Starting from a value c , we follow a s.f. strategy to hedge the payoff H of a contingent claim. The hedging error of the strategy is

$$\varepsilon(\vartheta, c) = H - c - G_N(\vartheta).$$

- ▶ The problem is to compute mean and variance of $\varepsilon(\vartheta, c)$ for given H, c, ϑ

Previous results on Black-Scholes Delta

- ▶ A natural example is when $\vartheta = \Delta^N$ the BS-delta and S is the BS-process.
- ▶ Hayashi and Mykland (2005) showed that

$$\varepsilon(\Delta^N, c) - \sqrt{\frac{T}{2N}} \int_0^T \Gamma_u \sigma^2 S_u^2 dW_u^* \rightarrow 0$$

Previous results on Black-Scholes Delta

- ▶ A natural example is when $\vartheta = \Delta^N$ the BS-delta and S is the BS-process.
- ▶ Hayashi and Mykland (2005) showed that

$$\varepsilon(\Delta^N, c) - \sqrt{\frac{T}{2N}} \int_0^T \Gamma_u \sigma^2 S_u^2 dW_u^* \rightarrow 0$$

Previous results on Black-Scholes Delta

- ▶ Toft (1996) provides an asymptotic approximation for the variance

$$\frac{1}{2}\sigma^4 \left(\frac{T}{N}\right)^2 \sum_{k=0}^{N-1} E_0 [(\Gamma_k S_k^2)^2]$$

- ▶ Kamal and Derman (1999) propose a more *trader-friendly* approximation

$$\frac{\pi}{4N}\sigma^2 \text{Vega}^2$$

- ▶ They are all asymptotic approximations

Previous results on Black-Scholes Delta

- ▶ Toft (1996) provides an asymptotic approximation for the variance

$$\frac{1}{2}\sigma^4 \left(\frac{T}{N}\right)^2 \sum_{k=0}^{N-1} E_0 [(\Gamma_k S_k^2)^2]$$

- ▶ Kamal and Derman (1999) propose a more *trader-friendly* approximation

$$\frac{\pi}{4N}\sigma^2 \text{Vega}^2$$

- ▶ They are all asymptotic approximations

Previous results on Black-Scholes Delta

- ▶ Toft (1996) provides an asymptotic approximation for the variance

$$\frac{1}{2}\sigma^4 \left(\frac{T}{N}\right)^2 \sum_{k=0}^{N-1} E_0 [(\Gamma_k S_k^2)^2]$$

- ▶ Kamal and Derman (1999) propose a more *trader-friendly* approximation

$$\frac{\pi}{4N}\sigma^2 \text{Vega}^2$$

- ▶ They are all asymptotic approximations

The model framework

- ▶ Same setting as Hubalek, Kallsen and Krawczyk (2006)
- ▶ Let $(\Omega, \mathcal{F}, (\mathcal{F}_n)_{n \in (0,1,\dots,N)}, P)$ be a filtered probability space. The risky asset is

$$S_n = S_0 \exp(X_n),$$

where the process $X = (X_n)$ for $n = 0, 1, \dots, N$, satisfies

1. X is adapted to the filtration $\mathcal{F}_n, n \in (0, 1, \dots, N)$,
2. $X_0 = 0$,
3. $\Delta X_n = X_n - X_{n-1}, n = 1, \dots, N$ are i.i.d.

The model framework

- ▶ Same setting as Hubalek, Kallsen and Krawczyk (2006)
- ▶ Let $(\Omega, \mathcal{F}, (\mathcal{F}_n)_{n \in (0,1,\dots,N)}, P)$ be a filtered probability space. The risky asset is

$$S_n = S_0 \exp(X_n),$$

where the process $X = (X_n)$ for $n = 0, 1, \dots, N$, satisfies

1. X is adapted to the filtration $\mathcal{F}_n, n \in (0, 1, \dots, N)$,
2. $X_0 = 0$,
3. $\Delta X_n = X_n - X_{n-1} \ n = 1, \dots, N$ are i.i.d.

The model framework

- ▶ Same setting as Hubalek, Kallsen and Krawczyk (2006)
- ▶ Let $(\Omega, \mathcal{F}, (\mathcal{F}_n)_{n \in (0,1,\dots,N)}, P)$ be a filtered probability space. The risky asset is

$$S_n = S_0 \exp(X_n),$$

where the process $X = (X_n)$ for $n = 0, 1, \dots, N$, satisfies

1. X is adapted to the filtration $\mathcal{F}_n, n \in (0, 1, \dots, N)$,
2. $X_0 = 0$,
3. $\Delta X_n = X_n - X_{n-1}$ $n = 1, \dots, N$ are i.i.d.

The model framework

- ▶ Same setting as Hubalek, Kallsen and Krawczyk (2006)
- ▶ Let $(\Omega, \mathcal{F}, (\mathcal{F}_n)_{n \in (0,1,\dots,N)}, P)$ be a filtered probability space. The risky asset is

$$S_n = S_0 \exp(X_n),$$

where the process $X = (X_n)$ for $n = 0, 1, \dots, N$, satisfies

1. X is adapted to the filtration $\mathcal{F}_n, n \in (0, 1, \dots, N)$,
2. $X_0 = 0$,
3. $\Delta X_n = X_n - X_{n-1} \ n = 1, \dots, N$ are i.i.d.

The model framework

- ▶ Same setting as Hubalek, Kallsen and Krawczyk (2006)
- ▶ Let $(\Omega, \mathcal{F}, (\mathcal{F}_n)_{n \in (0,1,\dots,N)}, P)$ be a filtered probability space. The risky asset is

$$S_n = S_0 \exp(X_n),$$

where the process $X = (X_n)$ for $n = 0, 1, \dots, N$, satisfies

1. X is adapted to the filtration $\mathcal{F}_n, n \in (0, 1, \dots, N)$,
2. $X_0 = 0$,
3. $\Delta X_n = X_n - X_{n-1} \ n = 1, \dots, N$ are i.i.d.

The model framework

- ▶ Can compute the moment generating function of ΔX

$$m(z) = E[e^{z\Delta X}],$$

assuming that it exists for $0 \leq \operatorname{Re}(z) \leq 2$

- ▶ A rather general class of models, including Black-Scholes, Merton jump-diffusion, NIG, etc.

The model framework

- ▶ Can compute the moment generating function of ΔX

$$m(z) = E[e^{z\Delta X}],$$

assuming that it exists for $0 \leq \text{Re}(z) \leq 2$

- ▶ A rather general class of models, including Black-Scholes, Merton jump-diffusion, NIG, etc.

The main idea

- ▶ Start by considering an *exponential claim*, that is a contingent claim with payoff

$$H(z) = S_N^z = S_0^z e^{zX_N}$$

- ▶ The i.i.d. assumption for ΔX_n makes computations easy for exponential claims.
- ▶ Next we consider a contingent claim which is a "linear combination" of exponential claims (let us call it *simple claim*)
- ▶ Use linearity properties and Fubini

The main idea

- ▶ Start by considering an *exponential claim*, that is a contingent claim with payoff

$$H(z) = S_N^z = S_0^z e^{zX_N}$$

- ▶ The i.i.d. assumption for ΔX_n makes computations easy for exponential claims.
- ▶ Next we consider a contingent claim which is a "linear combination" of exponential claims (let us call it *simple claim*)
- ▶ Use linearity properties and Fubini

The main idea

- ▶ Start by considering an *exponential claim*, that is a contingent claim with payoff

$$H(z) = S_N^z = S_0^z e^{zX_N}$$

- ▶ The i.i.d. assumption for ΔX_n makes computations easy for exponential claims.
- ▶ Next we consider a contingent claim which is a "linear combination" of exponential claims (let us call it *simple claim*)
- ▶ Use linearity properties and Fubini

The main idea

- ▶ Start by considering an *exponential claim*, that is a contingent claim with payoff

$$H(z) = S_N^z = S_0^z e^{zX_N}$$

- ▶ The i.i.d. assumption for ΔX_n makes computations easy for exponential claims.
- ▶ Next we consider a contingent claim which is a "linear combination" of exponential claims (let us call it *simple claim*)
- ▶ Use **linearity properties and Fubini**

Simple claims

- ▶ A contingent claim is "simple" if its payoff is a "linear combination" of exponential claims:

$$H = \int S_N^z \Pi(dz)$$

The payoff of a simple claim is an inverse Laplace Transform

- ▶ A European call is a simple claim

$$(S_N - K)^+ = \frac{1}{2\pi i} \int_{R-i\infty}^{R+i\infty} S_N^z \frac{K^{1-z}}{z(z-1)} dz,$$

with $R > 1$ arbitrary

- ▶ Using inverse Fourier transform in Finance is originated from an idea of Carr and Madan (1999). See Cerny (2007) for a nice introduction.

Simple claims

- ▶ A contingent claim is "simple" if its payoff is a "linear combination" of exponential claims:

$$H = \int S_N^z \Pi(dz)$$

The payoff of a simple claim is an inverse Laplace Transform

- ▶ A European call is a simple claim

$$(S_N - K)^+ = \frac{1}{2\pi i} \int_{R-i\infty}^{R+i\infty} S_N^z \frac{K^{1-z}}{z(z-1)} dz,$$

with $R > 1$ arbitrary

- ▶ Using inverse Fourier transform in Finance is originated from an idea of Carr and Madan (1999). See Cerny (2007) for a nice introduction.

Simple claims

- ▶ A contingent claim is "simple" if its payoff is a "linear combination" of exponential claims:

$$H = \int S_N^z \Pi(dz)$$

The payoff of a simple claim is an inverse Laplace Transform

- ▶ A European call is a simple claim

$$(S_N - K)^+ = \frac{1}{2\pi i} \int_{R-i\infty}^{R+i\infty} S_N^z \frac{K^{1-z}}{z(z-1)} dz,$$

with $R > 1$ arbitrary

- ▶ Using inverse Fourier transform in Finance is originated from an idea of Carr and Madan (1999). See Cerny (2007) for a nice introduction.

Important observation

- ▶ The price at time t_{n-1} of a simple claim is

$$\begin{aligned} P_{n-1} &= E_{n-1}^Q \left[\int S_N^z \Pi(dz) \right] \\ &= \int E_{n-1}^Q [S_N^z] \Pi(dz) = \int S_{n-1}^z m_0(z)^{N-n+1} \Pi(dz), \end{aligned}$$

where E_{n-1}^Q is the pricing measure and $m_0(z)$ is the m.g.f. of corresponding ΔX .

- ▶ The Delta of a simple claim is an inverse Laplace transform

$$\Delta_n = \int f(z)_n S_{n-1}^{z-1} \Pi(dz),$$

where $f(z)_n = z m_0(z)^{N-n+1}$ does not depend on S_{n-1} .

Important observation

- ▶ The price at time t_{n-1} of a simple claim is

$$\begin{aligned} P_{n-1} &= E_{n-1}^Q \left[\int S_N^z \Pi(dz) \right] \\ &= \int E_{n-1}^Q [S_N^z] \Pi(dz) = \int S_{n-1}^z m_0(z)^{N-n+1} \Pi(dz), \end{aligned}$$

where E_{n-1}^Q is the pricing measure and $m_0(z)$ is the m.g.f. of corresponding ΔX .

- ▶ The Delta of a simple claim is an inverse Laplace transform

$$\Delta_n = \int f(z)_n S_{n-1}^{z-1} \Pi(dz),$$

where $f(z)_n = z m_0(z)^{N-n+1}$ does not depend on S_{n-1} .

Delta hedging error

- ▶ The hedging error of a simple claim is an inverse Laplace transform

$$H - c - G_N(\Delta) = \int (H(z) - c - G_N(\Delta(z)))\Pi(dz)$$

- ▶ I can compute expected value and variance of the hedging error if I am able to compute things inside the integral

Delta hedging error

- ▶ The hedging error of a simple claim is an inverse Laplace transform

$$H - c - G_N(\Delta) = \int (H(z) - c - G_N(\Delta(z)))\Pi(dz)$$

- ▶ I can compute expected value and variance of the hedging error if I am able to compute things inside the integral

Expected Delta hedging error



$$E[H] = \int E[S_N^z] \Pi(dz) = \int S_0^z m(z)^N \Pi(dz)$$



$$\begin{aligned} E[\Delta_n \Delta S_n] &= \int E[f(z)_n S_{n-1}^{z-1} \Delta S_n] \Pi(dz) \\ &= \int S_0^z f(z)_n (m(1) - 1) m(z)^{n-1} \Pi(dz), \end{aligned}$$

for $n = 1, \dots, N$

Expected Delta hedging error



$$E[H] = \int E[S_N^z] \Pi(dz) = \int S_0^z m(z)^N \Pi(dz)$$



$$\begin{aligned} E[\Delta_n \Delta S_n] &= \int E[f(z)_n S_{n-1}^{z-1} \Delta S_n] \Pi(dz) \\ &= \int S_0^z f(z)_n (m(1) - 1) m(z)^{n-1} \Pi(dz), \end{aligned}$$

for $n = 1, \dots, N$

Variance of Delta hedging

- ▶ Need to compute all the covariances. It boils down to compute



$$E[H(y)H(z)] = E[S_N^y S_N^z] = S_0^{y+z} m(y+z)^N$$



$$E[H(y)S_{n-1}^z \Delta S_n] = E[S_N^y S_{n-1}^z \Delta S_n] = S_0^{y+z} v_2(y, z)_n,$$

where $v_2(y, z)_n$ depends on m.g.f., N and $n = 1, \dots, N$



$$E[S_{n-1}^y S_{m-1}^z \Delta S_n \Delta S_m] = S_0^{y+z} v_3(y, z)_{n,m},$$

where $v_3(y, z)_{n,m}$ depends on m.g.f., N and $n, m = 1, \dots, N$

Variance of Delta hedging

- ▶ Need to compute all the covariances. It boils down to compute



$$E[H(y)H(z)] = E[S_N^y S_N^z] = S_0^{y+z} m(y+z)^N$$



$$E[H(y)S_{n-1}^z \Delta S_n] = E[S_N^y S_{n-1}^z \Delta S_n] = S_0^{y+z} v_2(y, z)_n,$$

where $v_2(y, z)_n$ depends on m.g.f., N and $n = 1, \dots, N$



$$E[S_{n-1}^y S_{m-1}^z \Delta S_n \Delta S_m] = S_0^{y+z} v_3(y, z)_{n,m},$$

where $v_3(y, z)_{n,m}$ depends on m.g.f., N and $n, m = 1, \dots, N$

Variance of Delta hedging

- ▶ Need to compute all the covariances. It boils down to compute



$$E[H(y)H(z)] = E[S_N^y S_N^z] = S_0^{y+z} m(y+z)^N$$



$$E[H(y)S_{n-1}^z \Delta S_n] = E[S_N^y S_{n-1}^z \Delta S_n] = S_0^{y+z} v_2(y, z)_n,$$

where $v_2(y, z)_n$ depends on m.g.f., N and $n = 1, \dots, N$



$$E[S_{n-1}^y S_{m-1}^z \Delta S_n \Delta S_m] = S_0^{y+z} v_3(y, z)_{n,m},$$

where $v_3(y, z)_{n,m}$ depends on m.g.f., N and $n, m = 1, \dots, N$

Variance of Delta hedging

- ▶ Need to compute all the covariances. It boils down to compute



$$E[H(y)H(z)] = E[S_N^y S_N^z] = S_0^{y+z} m(y+z)^N$$



$$E[H(y)S_{n-1}^z \Delta S_n] = E[S_N^y S_{n-1}^z \Delta S_n] = S_0^{y+z} v_2(y, z)_n,$$

where $v_2(y, z)_n$ depends on m.g.f., N and $n = 1, \dots, N$



$$E[S_{n-1}^y S_{m-1}^z \Delta S_n \Delta S_m] = S_0^{y+z} v_3(y, z)_{n,m},$$

where $v_3(y, z)_{n,m}$ depends on m.g.f., N and $n, m = 1, \dots, N$

Main results

- ▶ Our results apply to (any linear combination of) simple claims and any ϑ given by

$$\vartheta_n = \int f(z)_n S_{n-1}^{z-1} \Pi(dz),$$

Examples: BS-Delta, Wilmott "improved delta", local optimal (already in Černý (2007))



$$E[\varepsilon(\vartheta, 0)] = \int S_0^z \left[m(z)^N - (m(1) - 1) \sum_{k=1}^N f(z)_k m(z)^{k-1} \right] \Pi(dz)$$

$$E[\varepsilon(\vartheta, 0)^2] = \int \int S_0^{y+z} V(y, z) \Pi(dz) \Pi(dy),$$

Main results

- ▶ Our results apply to (any linear combination of) simple claims and any ϑ given by

$$\vartheta_n = \int f(z)_n S_{n-1}^{z-1} \Pi(dz),$$

Examples: BS-Delta, Wilmott "improved delta", local optimal (already in Černý (2007))



$$E[\varepsilon(\vartheta, 0)] = \int S_0^z \left[m(z)^N - (m(1) - 1) \sum_{k=1}^N f(z)_k m(z)^{k-1} \right] \Pi(dz)$$

$$E[\varepsilon(\vartheta, 0)^2] = \int \int S_0^{y+z} V(y, z) \Pi(dz) \Pi(dy),$$

Numerical implementation

- ▶ The formulas we wish to evaluate involve one- and two-dimensional Laplace transforms. There are at least two methods
- ▶ Numerical integration
- ▶ Numerical inversion of Laplace transform

Numerical implementation

- ▶ The formulas we wish to evaluate involve one- and two-dimensional Laplace transforms. There are at least two methods
- ▶ **Numerical integration**
- ▶ Numerical inversion of Laplace transform

Numerical implementation

- ▶ The formulas we wish to evaluate involve one- and two-dimensional Laplace transforms. There are at least two methods
- ▶ Numerical integration
- ▶ Numerical inversion of Laplace transform

Inversion of Laplace transform

- ▶ **Algorithms implemented in MATLAB**
- ▶ One-dimensional case: we used "invlap.m" constructed by Hollenbeck (1998), very accurate
- ▶ Bi-dimensional case: we wrote a code based on Choudhury, Lucantoni, Whitt (1994), quite accurate

Inversion of Laplace transform

- ▶ Algorithms implemented in MATLAB
- ▶ One-dimensional case: we used "invlap.m" constructed by Hollenbeck (1998), very accurate
- ▶ Bi-dimensional case: we wrote a code based on Choudhury, Lucantoni, Whitt (1994), quite accurate

Inversion of Laplace transform

- ▶ Algorithms implemented in MATLAB
- ▶ One-dimensional case: we used "invlap.m" constructed by Hollenbeck (1998), very accurate
- ▶ Bi-dimensional case: we wrote a code based on Choudhury, Lucantoni, Whitt (1994), quite accurate

Inversion of bi-dim Laplace transform

Absolute error (multiplied by 10^4) of variance of the hedging error of the delta strategy computed with the two-dimensional inversion algorithm for an at-the money call option with number of trading dates $N = 1$ as a function of m and n (truncation error). The other parameters used by the algorithm are $A_1 = A_2 = 30$ (aliasing error), $l_1 = l_2 = 1$ (roundoff error).

Inversion of bi-dim Laplace transform

m	n	err
20	40	494.21
50	50	156.21
50	100	33.91
100	100	20.01
100	200	4.31
200	200	2.51
20	400	1.01
50	400	0.91
100	400	0.71
20	600	0.31

Transaction Costs

- ▶ We consider the case of proportional transaction costs, i.e.
Bid price $S^b = S(1 - k/2)$; Ask price $S^a = S(1 + k/2)$
- ▶ Transaction cost at time t_n

$$\begin{aligned} \text{TC}_n &= |\vartheta_{n+1} - \vartheta_n| \frac{kS_n}{2} \\ &= \mathbf{1}_{\vartheta_{n+1} > \vartheta_n} 2(\vartheta_{n+1} - \vartheta_n) \frac{kS_n}{2} + \\ &\quad (\vartheta_{n+1} - \vartheta_n) \frac{kS_n}{2} \end{aligned}$$

Transaction Costs

- ▶ We consider the case of proportional transaction costs, i.e.
Bid price $S^b = S(1 - k/2)$; Ask price $S^a = S(1 + k/2)$
- ▶ Transaction cost at time t_n

$$\begin{aligned}TC_n &= |\vartheta_{n+1} - \vartheta_n| \frac{kS_n}{2} \\ &= \mathbf{1}_{\vartheta_{n+1} > \vartheta_n} 2(\vartheta_{n+1} - \vartheta_n) \frac{kS_n}{2} + \\ &\quad (\vartheta_{n+1} - \vartheta_n) \frac{kS_n}{2}\end{aligned}$$

Transaction costs

- ▶ The problem is to compute mean and variance of

$$\mathbf{1}_{\vartheta_{n+1} > \vartheta_n} (\vartheta_{n+1} - \vartheta_n) \frac{kS_n}{2}$$

- ▶ We now assume that ϑ_{n+1} is an increasing function of S_n (the case of a decreasing function is analogous)



$$\vartheta_{n+1} > \vartheta_n \iff S_n > S_{n-1} \iff \Delta X_n > 0$$

- ▶ Hence we are concerned with terms like

$$\mathbf{1}_{\Delta X_n > 0} \vartheta_{n+1} \frac{kS_n}{2}$$

Transaction costs

- ▶ The problem is to compute mean and variance of

$$\mathbf{1}_{\vartheta_{n+1} > \vartheta_n} (\vartheta_{n+1} - \vartheta_n) \frac{kS_n}{2}$$

- ▶ We now assume that ϑ_{n+1} is an increasing function of S_n (the case of a decreasing function is analogous)



$$\vartheta_{n+1} > \vartheta_n \iff S_n > S_{n-1} \iff \Delta X_n > 0$$

- ▶ Hence we are concerned with terms like

$$\mathbf{1}_{\Delta X_n > 0} \vartheta_{n+1} \frac{kS_n}{2}$$

Transaction costs

- ▶ The problem is to compute mean and variance of

$$\mathbf{1}_{\vartheta_{n+1} > \vartheta_n} (\vartheta_{n+1} - \vartheta_n) \frac{kS_n}{2}$$

- ▶ We now assume that ϑ_{n+1} is an increasing function of S_n (the case of a decreasing function is analogous)



$$\vartheta_{n+1} > \vartheta_n \iff S_n > S_{n-1} \iff \Delta X_n > 0$$

- ▶ Hence we are concerned with terms like

$$\mathbf{1}_{\Delta X_n > 0} \vartheta_{n+1} \frac{kS_n}{2}$$

Transaction costs

- ▶ The problem is to compute mean and variance of

$$\mathbf{1}_{\vartheta_{n+1} > \vartheta_n} (\vartheta_{n+1} - \vartheta_n) \frac{kS_n}{2}$$

- ▶ We now assume that ϑ_{n+1} is an increasing function of S_n (the case of a decreasing function is analogous)



$$\vartheta_{n+1} > \vartheta_n \iff S_n > S_{n-1} \iff \Delta X_n > 0$$

- ▶ Hence we are concerned with terms like

$$\mathbf{1}_{\Delta X_n > 0} \vartheta_{n+1} \frac{kS_n}{2}$$

Transaction costs

► Expected value

$$\begin{aligned}
 E[\mathbf{1}_{\Delta X_n > 0} \vartheta_{n+1} S_n] &= E\left[\mathbf{1}_{\Delta X_n > 0} S_n \int f(z)_{n+1} S_n^{z-1} \Pi(dz)\right] \\
 &= \int f(z)_{n+1} S_0^z E\left[\exp\left(z \sum_{i=1}^{n-1} \Delta X_i\right)\right] \cdot \\
 &\quad E[\mathbf{1}_{\Delta X_n > 0} \exp(z \Delta X_n)] \Pi(dz) \\
 &= \int f(z)_{n+1} S_0^z m(z)^{n-1} m^+(z) \Pi(dz)
 \end{aligned}$$

- The computations involved for the variance-covariance terms are similar

Transaction costs

- ▶ Expected value

$$\begin{aligned}
 E[\mathbf{1}_{\Delta X_n > 0} \vartheta_{n+1} S_n] &= E\left[\mathbf{1}_{\Delta X_n > 0} S_n \int f(z)_{n+1} S_n^{z-1} \Pi(dz)\right] \\
 &= \int f(z)_{n+1} S_0^z E\left[\exp\left(z \sum_{i=1}^{n-1} \Delta X_i\right)\right] \cdot \\
 &\quad E[\mathbf{1}_{\Delta X_n > 0} \exp(z \Delta X_n)] \Pi(dz) \\
 &= \int f(z)_{n+1} S_0^z m(z)^{n-1} m^+(z) \Pi(dz)
 \end{aligned}$$

- ▶ The computations involved for the variance-covariance terms are similar

Comments

- ▶ With the same technique one may in principle compute moments of higher order
- ▶ Can choose independently a strategy (" $f(z)_n$ ") and a model (" $m(z)$ ")
- ▶ In particular, one can measure the hedging error of the Delta strategy for different data generating processes
- ▶ The result can be easily extended to the case when ΔX_n are not identically distributed

Comments

- ▶ With the same technique one may in principle compute moments of higher order
- ▶ Can choose independently a strategy (" $f(z)_n$ ") and a model (" $m(z)$ ")
- ▶ In particular, one can measure the hedging error of the Delta strategy for different data generating processes
- ▶ The result can be easily extended to the case when ΔX_n are not identically distributed

Comments

- ▶ With the same technique one may in principle compute moments of higher order
- ▶ Can choose independently a strategy (" $f(z)_n$ ") and a model (" $m(z)$ ")
- ▶ In particular, one can measure the hedging error of the Delta strategy for different data generating processes
- ▶ The result can be easily extended to the case when ΔX_n are not identically distributed

Comments

- ▶ With the same technique one may in principle compute moments of higher order
- ▶ Can choose independently a strategy (" $f(z)_n$ ") and a model (" $m(z)$ ")
- ▶ In particular, one can measure the hedging error of the Delta strategy for different data generating processes
- ▶ The result can be easily extended to the case when ΔX_n are not identically distributed

Applications

- ▶ **Assess precision of existing approximations of the variance**
- ▶ How worse than optimal-variance is Delta hedging?
- ▶ Compare performances of various strategies for different models
- ▶ As a measure of performance we use

$$s(\vartheta, c) = \frac{-E[\varepsilon(\vartheta, c)]}{\sqrt{\text{var}(\varepsilon(\vartheta, c))}}$$

Applications

- ▶ Assess precision of existing approximations of the variance
- ▶ **How worse than optimal-variance is Delta hedging?**
- ▶ Compare performances of various strategies for different models
- ▶ As a measure of performance we use

$$s(\vartheta, c) = \frac{-E[\varepsilon(\vartheta, c)]}{\sqrt{\text{var}(\varepsilon(\vartheta, c))}}$$

Applications

- ▶ Assess precision of existing approximations of the variance
- ▶ How worse than optimal-variance is Delta hedging?
- ▶ Compare performances of various strategies for different models
- ▶ As a measure of performance we use


$$s(\vartheta, c) = \frac{-E[\varepsilon(\vartheta, c)]}{\sqrt{\text{var}(\varepsilon(\vartheta, c))}}$$

Applications

- ▶ Assess precision of existing approximations of the variance
- ▶ How worse than optimal-variance is Delta hedging?
- ▶ Compare performances of various strategies for different models
- ▶ As a measure of performance we use

$$s(\vartheta, c) = \frac{-E[\varepsilon(\vartheta, c)]}{\sqrt{\text{var}(\varepsilon(\vartheta, c))}}$$

Relative errors of approximations of standard deviation



Model risk

- ▶ Data generating process: Merton jump-diffusion process with normally distributed jumps, with returns with annual mean $\mu \approx 0.14$ and volatility $\sigma \approx 0.44$
- ▶ Hedging ratios: B-S Delta and B-S locally optimal computed with parameters μ and σ , Merton optimal
- ▶ ATM Call option ($K = 100$), $T = 3$ months, number of trading dates from 1 to 65

Model risk


- ▶ Data generating process: Merton jump-diffusion process with normally distributed jumps, with returns with annual mean $\mu \approx 0.14$ and volatility $\sigma \approx 0.44$
- ▶ Hedging ratios: B-S Delta and B-S locally optimal computed with parameters μ and σ , Merton optimal
- ▶ ATM Call option ($K = 100$), $T = 3$ months, number of trading dates from 1 to 65

Model risk

- ▶ Data generating process: Merton jump-diffusion process with normally distributed jumps, with returns with annual mean $\mu \approx 0.14$ and volatility $\sigma \approx 0.44$
- ▶ Hedging ratios: B-S Delta and B-S locally optimal computed with parameters μ and σ , Merton optimal
- ▶ ATM Call option ($K = 100$), $T = 3$ months, number of trading dates from 1 to 65

Model risk

Sharpe index of different strategies



Calibration risk

- ▶ **Data generating process: Black-Scholes model with given μ and σ**
- ▶ Hedging ratios: B-S Delta and B-S local optimal computed with parameters μ_0 and $\sigma_0 = 0.3$
- ▶ ATM Call option ($K = 100$), $T = 3$ months, number of trading dates from 1 to 65
- ▶ If $\sigma < \sigma_0$ expect a gain from trading strategy

Calibration risk

- ▶ Data generating process: Black-Scholes model with given μ and σ
- ▶ Hedging ratios: B-S Delta and B-S local optimal computed with parameters μ_0 and $\sigma_0 = 0.3$
- ▶ ATM Call option ($K = 100$), $T = 3$ months, number of trading dates from 1 to 65
- ▶ If $\sigma < \sigma_0$ expect a gain from trading strategy


Calibration risk

- ▶ Data generating process: Black-Scholes model with given μ and σ
- ▶ Hedging ratios: B-S Delta and B-S local optimal computed with parameters μ_0 and $\sigma_0 = 0.3$
- ▶ ATM Call option ($K = 100$), $T = 3$ months, number of trading dates from 1 to 65
- ▶ If $\sigma < \sigma_0$ expect a gain from trading strategy


Calibration risk

- ▶ Data generating process: Black-Scholes model with given μ and σ
- ▶ Hedging ratios: B-S Delta and B-S local optimal computed with parameters μ_0 and $\sigma_0 = 0.3$
- ▶ ATM Call option ($K = 100$), $T = 3$ months, number of trading dates from 1 to 65
- ▶ If $\sigma < \sigma_0$ expect a gain from trading strategy


Sharpe index as a function of realized volatility σ , with $\mu_0 = \mu = 0.1$ and $N = 10$



$s(\Delta) - s(\xi^{lo})$ as a function of σ , for different μ ($\sigma_0 = 0.3$, $\mu_0 = 0.1$)



Sharpe index of local optimal strategy as a function of σ and μ ($\sigma_0 = 0.3$, $\mu_0 = 0$, $S = K = 100$, $N = 10$)



Conclusion

- ▶ We have an efficient way to compute moments of hedging errors of strategies for simple claims and for a wide class of data generating process
- ▶ This allows us to measure the performance of hedging strategies in different settings, for instance under model misspecification
- ▶ With the same approach we can also measure the influence of transaction costs
- ▶ Interesting topics to be explored:
 1. More general processes (GARCH)
 2. Multi-dimensional (delta-gamma hedging, basket options)
 3. Dependence on parameter estimates, robustness...

Conclusion

- ▶ We have an efficient way to compute moments of hedging errors of strategies for simple claims and for a wide class of data generating process
- ▶ This allows us to measure the performance of hedging strategies in different settings, for instance under model misspecification
- ▶ With the same approach we can also measure the influence of transaction costs
- ▶ Interesting topics to be explored:
 1. More general processes (GARCH)
 2. Multi-dimensional (delta-gamma hedging, basket options)
 3. Dependence on parameter estimates, robustness...

Conclusion

- ▶ We have an efficient way to compute moments of hedging errors of strategies for simple claims and for a wide class of data generating process
- ▶ This allows us to measure the performance of hedging strategies in different settings, for instance under model misspecification
- ▶ **With the same approach we can also measure the influence of transaction costs**
- ▶ Interesting topics to be explored:
 1. More general processes (GARCH)
 2. Multi-dimensional (delta-gamma hedging, basket options)
 3. Dependence on parameter estimates, robustness...

Conclusion

- ▶ We have an efficient way to compute moments of hedging errors of strategies for simple claims and for a wide class of data generating process
- ▶ This allows us to measure the performance of hedging strategies in different settings, for instance under model misspecification
- ▶ With the same approach we can also measure the influence of transaction costs
- ▶ **Interesting topics to be explored:**
 1. More general processes (GARCH)
 2. Multi-dimensional (delta-gamma hedging, basket options)
 3. Dependence on parameter estimates, robustness...

Conclusion

- ▶ We have an efficient way to compute moments of hedging errors of strategies for simple claims and for a wide class of data generating process
- ▶ This allows us to measure the performance of hedging strategies in different settings, for instance under model misspecification
- ▶ With the same approach we can also measure the influence of transaction costs
- ▶ Interesting topics to be explored:
 1. More general processes (GARCH)
 2. Multi-dimensional (delta-gamma hedging, basket options)
 3. Dependence on parameter estimates, robustness...

Conclusion

- ▶ We have an efficient way to compute moments of hedging errors of strategies for simple claims and for a wide class of data generating process
- ▶ This allows us to measure the performance of hedging strategies in different settings, for instance under model misspecification
- ▶ With the same approach we can also measure the influence of transaction costs
- ▶ Interesting topics to be explored:
 1. More general processes (GARCH)
 2. Multi-dimensional (delta-gamma hedging, basket options)
 3. Dependence on parameter estimates, robustness...

Conclusion

- ▶ We have an efficient way to compute moments of hedging errors of strategies for simple claims and for a wide class of data generating process
- ▶ This allows us to measure the performance of hedging strategies in different settings, for instance under model misspecification
- ▶ With the same approach we can also measure the influence of transaction costs
- ▶ Interesting topics to be explored:
 1. More general processes (GARCH)
 2. Multi-dimensional (delta-gamma hedging, basket options)
 3. Dependence on parameter estimates, robustness...

www.unipg.it/angelini